

Mercury in Virginia's Waters

Jon A. Mueller






PCB Fish Consumption Advisories Mercury Fish Consumption Advisories Lake Gordonsville Lake Anna Herring Creek Mattaponi River Pamunkey River York York River Basin River

Bodies of water with fish consumption advisory due to Mercury:

- •Lake Gordonsville
- •Pamunkey River
- •Mattaponi River
- •Herring Creek



Bodies of water with fish consumption advisory due to Mercury:

- •Lake Trashmore
- Lake Whitehurst
- **•Dragon Run Swamp**
- •Piankatank River

Chowan and Dismal Swamp River Basin


- PCB Fish Consumption Advisories
- Mercury Fish Consumption Advisories



Bodies of water with fish consumption advisory due to Mercury:

- •Blackwater River
- Assamoosick Swamp
- •Nottoway River
- •Great Dismal Swamp, Lake Drummond

Roanoke River Basin



Bodies of water with fish consumption advisory due to Mercury contamination:

- **•Dan River**
- •Staunton River
- •Kerr Reservoir

Final Report for

CHESAPEAKE BAY ANGLER INTERVIEWS IDENTIFYING POPULATIONS AT RISK FOR CONSUMING CONTAMINATED FISH IN THREE REGIONS OF CONCERN

CMI-HDD-05-01

Submitted: March 29, 2005

Prepared for the

Chesapeake Bay Program

Prepared by:

Joshua C. Gibson & Julie A. McClafferty
Human Dimensions Division

Conservation Management Institute

College of Natural Resources

Virginia Polytechnic Institute and State University

1900 Kraft Drive, Suite 250 (MS 0534)

Blacksburg, VA 24061

(540) 231-8709

http://www.cmiweb.org

1 Fletcher's Boat House
2 Theodore Roosevelt Island
3 Lady Bird Johnson Park/Columbia Island Marina
4 Gravelly Point/Roaches Run
5 East Potomac Park/Haines Point
6 Monument Tidal Basin
7 Water Street Marina Area
8 Dangerfield Island/Washington Sailing Marina
9 Anacostia Park South



2 Huntington Park Boat Ramp
3 James River Bridge Fishing Pier
4 Peterson Yacht Basin/Anderson Park
5 Jones Creek Boat Ramp
6 Haven Creek Boat Ramp/Lafayette City Park
7 Elizabeth City Boat Landing and Park
8 Portsmouth City Park
9 Great Bridge Lock Park



Modeling the Fate and Transport of Atmospheric Mercury in the Chesapeake Bay Region



Dr. Mark Cohen
NOAA Air Resources Laboratory
Silver Spring, Maryland



Presentation at
NOAA Chesapeake Bay Office
May 17, 2004, Annapolis MD

Three "forms" of atmospheric mercury



- ~ 95% of total Hg in atmosphere
- not very water soluble
- long atmospheric lifetime (~ 0.5 1 yr); globally distributed



Reactive Gaseous Mercury ("RGM")

- a few percent of total Hg in atmosphere
- oxidized mercury: Hg(II)
- HgCl2, others species?
- somewhat operationally defined by measurement method
- very water soluble
- short atmospheric lifetime (~ 1 week or less);
- more local and regional effects




Particulate Mercury (Hg(p)

- a few percent of total Hg in atmosphere
- not pure particles of mercury...


(Hg compounds associated with atmospheric particulate)

- species largely unknown (in some cases, may be HgO?)
- moderate atmospheric lifetime (perhaps 1~2 weeks)
- local and regional effects
- bioavailability?


Emissions and Direct Deposition Contributions from Different Distance Ranges Away From the Chesapeake Bay




Largest Local Individual Sources Contributing to 1999 Mercury Deposition Directly to the Chesapeake Bay



Top 25 Contributors to 1999 Hg Deposition Directly to the Chesapeake Bay



Deposition to the Chesapeake Bay and to its Watershed (~1999) (linear graph)




Sources Modeled




Table 1. Modeled Mercury Emission Sources

| Source | Lat (N) | Lon (W) | Base Elev(| No. of | , | | | yr) |
|----------------------------------|------------|------------|---------------|-----------|---|-------|-------|--------|
| | (-) | (, | m) | stack | Hg(total) | Hg(0) | RGM | Hg (p) |
| Bremo Bluff | 37.70 8 | 78.28 8 | 70.1 | 2 | 127.0 | 47.4 | 73.6 | 6.2 |
| Chesapeake | 36.77 1 | 76.30 2 | 3.0 | 3 | 182.9 | 47.2 | 124.8 | 11.2 |
| Clinch River | 36.93 3 | 82.19 8 | 445.0 | 2 | 157.0 | 40.4 | 107.2 | 9.6 |
| Glen Lyn | 37.37 0 | 80.86 4 | 469.4 | 2 | 87.1 | 22.4 | 59.4 | 5.4 |
| Jewell Coke | 37.23 4 | 82.03 7 | 353.6 | 2 | 337.0 | 269.6 | 33.8 | 33.8 |
| Potomac River | 38.82 0 | 77.04 1 | 9.1 | 3 | 83.5 | 21.4 | 57.0 | 5.0 |
| All Pt Sources in Virginia | | | | | 2,924 | | | |

Bay Watershed on Grid Scale








Table 2. Mercury Deposition Exceedance Area

| Source | Area in which Annual Mercury Deposition Rate Was Exceeded (km²) | | | | |
|---------------|---|-----------------------|-----------|--|--|
| | Rate: 0.1 g/km ² | 0.5 g/km ² | 1.0 g/km² | | |
| Bremo Bluff | 37,260 | 3,480 | 970 | | |
| Chesapeake | 58,400 | 5,430 | 1,380 | | |
| Clinch River | 40,010 | 4,620 | 1,540 | | |
| Glen Lyn | 25,270 | 2,600 | 810 | | |
| Jewell Coke | 31,590 | 4,620 | 1,860 | | |
| Potomac River | 27,140 | 1,860 | 240 | | |


Table 3. Annual Deposition of Mercury to the Chesapeake Bay Watershed

| Source | Total Annual Deposition (lbs) | | | | |
|------------------|-------------------------------|-------|-------|-------|--|
| | Total Mercury | Hg(0) | RGM | Hg(p) | |
| Bremo Bluff | 31.69 | 1.03 | 28.98 | 1.69 | |
| Chesapeake | 19.50 | 0.27 | 17.67 | 1.56 | |
| Clinch River | 7.29 | 0.19 | 6.43 | 0.67 | |
| Glen Lyn | 9.16 | 0.19 | 8.24 | 0.73 | |
| Jewell Coke | 5.94 | 1.45 | 1.93 | 2.56 | |
| Potomac River | 23.24 | 0.38 | 21.31 | 1.54 | |
| All 6 VA sources | 96.82 | 3.51 | 84.56 | 8.75 | |

Table 5. Annual Deposition of Mercury within the state of Virginia

| Source | Total Annual Deposition (lbs) | | | | |
|------------------|-------------------------------|-------|--------|-------|--|
| | Total Mercury | Hg(0) | RGM | Hg(p) | |
| Bremo Bluff | 29.26 | 0.94 | 27.02 | 1.31 | |
| Chesapeake | 23.01 | 0.31 | 21.13 | 1.58 | |
| Clinch River | 25.59 | 0.47 | 23.73 | 1.39 | |
| Glen Lyn | 15.76 | 0.29 | 14.57 | 0.90 | |
| Jewell Coke | 19.95 | 6.00 | 9.58 | 4.37 | |
| Potomac River | 8.45 | 0.16 | 7.75 | 0.54 | |
| All 6 VA sources | 122.01 | 8.16 | 103.78 | 10.07 | |

Sensitive Receptors; Pamunkey River Basin (PRB), Dragon Run Watershed (DRW), and Great Dismal Swamp NWR (GDS)



Pamunkey River Basin-Sweet Hall Marsh



Table 6. Annual Deposition of Mercury within the Pamunkey River Basin

| Source | Total Annual Deposition (g) | | | |
|------------------|-----------------------------|-------|------|-------|
| | Total Mercury | Hg(0) | RGM | Hg(p) |
| Bremo Bluff | 1222 | 39 | 1144 | 39 |
| Chesapeake | 218 | 4 | 198 | 16 |
| Clinch River | 109 | 3 | 97 | 9 |
| Glen Lyn | 114 | 3 | 104 | 8 |
| Jewell Coke | 75 | 21 | 26 | 28 |
| Potomac River | 213 | 5 | 199 | 10 |
| All 6 VA sources | 1952 | 75 | 1767 | 110 |

Dragon Run



Table 7. Annual Deposition of Mercury within the Dragon Run Watershed

| Source | Total Annual Deposition (g) | | | |
|------------------|-----------------------------|-------|-------|-------|
| | Total Mercury | Hg(0) | RGM | Hg(p) |
| Bremo Bluff | 25.7 | 0.9 | 23.5 | 1.3 |
| Chesapeake | 52.5 | 0.7 | 47.7 | 4.0 |
| Clinch River | 5.8 | 0.2 | 5.1 | 0.5 |
| Glen Lyn | 5.6 | 0.2 | 5.1 | 0.4 |
| Jewell Coke | 4.7 | 1.2 | 1.5 | 1.9 |
| Potomac River | 31.0 | 0.6 | 28.9 | 1.6 |
| All 6 VA sources | 125.3 | 3.7 | 111.9 | 9.7 |


Lake Drummond, Great Dismal Swamp NWR



Table 8. Annual Deposition of Mercury within the Great Dismal Swamp NWR

| Source | Total Annual Deposition (g) | | | | |
|------------------|-----------------------------|-------|-------|-------|--|
| Source | Total Mercury | Hg(0) | RGM | Hg(p) | |
| Bremo Bluff | 13.0 | 0.5 | 11.9 | 0.6 | |
| Chesapeake | 734.7 | 8.9 | 691.8 | 34.0 | |
| Clinch River | 6.3 | 0.1 | 5.6 | 0.5 | |
| Glen Lyn | 4.8 | 0.1 | 4.3 | 0.3 | |
| Jewell Coke | 4.2 | 1.0 | 1.5 | 1.7 | |
| Potomac River | 10.7 | 0.2 | 9.9 | 0.6 | |
| All 6 VA sources | 773.6 | 10.9 | 725.0 | 37.8 | |

Coal-Fired Power Plants within 200 miles of the Virginia Border





| Plant Name | Location | Size (MW) | 2006 Reported Mercury/Air Release (lbs/yr) |
|---------------------------------------|-----------------|--------------|--|
| AEP Glen Lyn (2) | Glen Lyn, VA | 430 | 64 |
| AEP Clinch River (1) | Cleveland, VA | 700 | 149 |
| Cogentrix Virginia (8) | Portsmouth, VA | 120 | 32.8 |
| Dominion Bremo (10) | Bremo Bluff, VA | 250 | 154 |
| Dominion Chesapeake (7) | Chesapeake, VA | 760 | 150 |
| Dominion Chesterfield (5) | Chester, VA | 1726 | 330 |
| Dominion Clover (3) | Clover, VA | 850 | 19 |
| Dominion Yorktown (9) | Yorktown, VA | 1150 | 101 |
| Dominion Mecklenburg Cogeneration (4) | Clarksville, VA | 132 | 1.62 |
| James River Cogeneration (6) | Hopewell, VA | 120 | 31.71 |
| Mirant Potomac River (11) | Alexandria, VA | 482 | 35.1 |

| Plant Name | Location | Size (MW) | 2006 Reported Mercury/Air Release (lbs/yr) |
|---------------------------------------|-----------------|--------------|--|
| Mirant Morgantown (12) | Newburg, MD | 1492 | 380 |
| Mirant Dickerson (14) | Dickerson, MD | 853 | 118 |
| Mirant Chalk Point (13) | Aquasco, MD | 2369 | 230 |
| AEP John Amos (21) | St. Albans, WV | 2932 | 873 |
| AEP Kanawha River (20) | Winfield, WV | 439 | 84 |
| AEP Mountaineer & Philip Sporn (19) | New Haven, WV | 2405 | 488 |
| AEP Kammer & Mitchell (18) | Moundsville, WV | 2344 | 483 |
| Dominion Mount Storm (15) | Mount Storm, WV | 1632 | 370 |
| Dominion North Branch (16) | Gormania, WV | 74 | 0.2 |
| Dominion Morgantown Energy (17) | Morgantown, WV | 65 | 179 |